1.	PRODUCT AND COMPANY IDENTIFICATION	

Product Name	Rit Powdered Dyes
Recommended Use	Dyestuff
Supplier Address Phoenix Brands LLC 2855 North Franklin Road, #7, Indianapolis, Indiana, 46219 US Cons Service Phone:1-866-794-0800	

Emergency Contact:	
PROSAR IPC; Phone Number	

1-651-632-8955

2. HAZARDS IDENTIFICATION

CAUTION!

Emergency Overview May Produce An Allergic Reaction. Product Dust May Be Irritating To Eyes, Skin And Respiratory System. Powdered Material May Form Explosive Dust-Air Mixtures

Appearance Various Colors		

Physical State Powder

Odor None	

Potential Health Effects	
Principle Routes of Exposure	Skin contact.
Acute Toxicity	

Eyes	May cause irritation.
Skin	May cause irritation. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Observice Effected	
Chronic Effects	Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure.
Aggravated Medical Conditions	Allergies. Skin disorders.
Interactions with Other Chemica	Is Irritants. Sensitizers. Epoxies.
Environmental Hazard	See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Sodium chloride	7647-14-5	60-100
Proprietary dyes	N/A	0-40

	4. FIRST AID MEASURES		
General Advice	If symptoms persist, call a physician.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.		
Skin Contact	Wash skin with soap and water.		
Inhalation	Drink water and blow nose to remove dust.		
Ingestion	Rinse mouth. Drink plenty of water. Do NOT induce vomiting.		
Notes to Physician	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Flammable Properties	Powdered material may form explosive dust-air mixtures.
Flash Point	No information available.
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Uniform Fire Code	COMBUSTIBLE DUST/POWDER
	Sensitizer: Liquid
Hazardous Combustion Products	Carbon oxides.
	Carbon oxides.
Explosion Data	

Sensitivity to Mechanical Impact	No.
Sensitivity to Static Discharge	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Specific Hazards Arising from the Chemical

Avoid dust formation Fine dust dispersed in air may ignite.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

_			
	NFPA		

Health Hazard 2
 Flammability 1
 Stability 0
Physical and Chemical Hazards -

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment.	
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Refer to protective measures listed in Sections 7 and 8.	
Methods for Containment	Prevent dust cloud. Prevent further leakage or spillage if safe to do so.	
Methods for Cleaning Up	Use personal protective equipment. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically and collect in suitable container for disposal. Avoid dust formation. Clean contaminated surface thoroughly.	

7. HANDLING AND STORAGE

<u></u>	
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Avoid dust formation. Fine dust dispersed in air may ignite.
Storage	Keep tightly closed in a dry and cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silicon dioxide 7631-86-9	10 mg/m ³	20 mppcf TWA; ((80)/(% SiO2) mg/ m ³)	IDLH: 3000 mg/m ³ TWA: 6 mg/m ³
Particles not otherwise specified	N/A	50 mppcf, 15mppcf (respirable)	N/A

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).	
Engineering Measures	Showers Evewash stations	

Eyewash stations Ventilation systems

Personal Protective Equipment		
Eye/Face Protection	Tightly fitting safety goggles.	
Skin and Body Protection	Protective gloves.	
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	

Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
------------------	--

9. PHYSICAL AND CHEMICAL PROPERTIES		
Appearance	Various colors.	

Odor	None.

Г	Odor Threshold		
		No information available.	

Physical State	
	Powder

рН	
	No information available

L				
П	Flash Point		Т	
Ш		No information available.		

Autoignition Temperature No inform	ation available.
------------------------------------	------------------

Decomposition Temperature		Π
	No information available.	

Boiling Point/Range		
Bonnig i onnartango		
	No information available.	

Г	Melting Point/Range		Г
		No information available.	

Flammability Limits in Air	No information available.	

		Explosion Limits	No information available.	
Water Solubility				
	Soluble in water.			
		Solubility		
			No information available.	
Evaporation Rate	No information available.			
		_		
		Vapor Pressure	No data available.	
Vapor Density				
	No data available.			
		VOC Content (%)		
			Not applicable.	
Partition Coefficient: n- octanol/water				
	10. STABILITY	AND REACTIVITY		
Stability	Stable under normal co	nditions. Hygroscopic.		
Incompatible Products	Strong oxidizing agents	. Strong acids. Iron and heavy	metals. Bromine trifluoride.	
Conditions to Avoid	Incompatible products.			
Hazardous Decomposition Products	Carbon oxides. May en chloride.	nit toxic fumes under fire condi	tions. Sodium oxides. Hydrogen	
Hazardous Polymerization	Hazardous polymerizat	ion does not occur.		
	11. TOXICOLOGI	CAL INFORMATION		
Acute Toxicity				
Product Information	Product doos not proso	nt an acute toxicity bazard bac	sed on known or supplied information.	
LD50 Oral VALUE				
LD50 Oral VALUE				

LC50 Inhalation (DUST) VALUE	40,00 mg/L (mist) (dust) mg/m ³ estimated	
Chemical Name LD50 Oral		LD50 Dermal	LC50 Inhalation
Sodium chloride	3 g/kg (Rat)	> 10 g/kg (Rabbit)	> 42 g/m ³ (Rat)1 h

Chronic Toxicity				
Chronic Toxicity	Repeated	contact may cause allergic	reactions in very susceptible	e persons. Avoid
				00114
Chemical Name	ACGIH	IARC	NTP	OSHA
Silicon dioxide		Group 3		

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans		
Sensitization	May cause sensitization of susceptible persons.	
Target Organ Effects Skin.		

12. ECOLOGICAL INFORMATION		
<u>Ecotoxicity</u>		
The environmental impact of this product has not been fully investigated.		

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium chloride		LC50: 5560-6080 mg/L Lepomis macrochirus 96 h flow-through LC50: 12946 mg/L Lepomis macrochirus 96 h static LC50: 6020-7070 mg/L Pimephales promelas 96 h static LC50: 7050 mg/L Pimephales promelas 96 h semi-static LC50: 6420-6700 mg/L Pimephales promelas 96 h static LC50: 4747-7824 mg/L Oncorhynchus mykiss 96 h flow-through		EC50: 340.7 - 469.2 mg/L (48 h Static) Daphnia magna EC50: 1000 mg/L (48 h) Daphnia magna
Sodium dodecylbenzenesulfonate		LC50: 10.8 mg/L (96 h static) Oncorhynchus mykiss		
Silicon dioxide	EC50: 440 mg/L (72 h) Pseudokirchneriella subcapitata	LC50: 5000 mg/L (96 h static) Brachydanio rerio		EC50: 7600 mg/L (48 h) Ceriodaphnia dubia

13. DISPOSAL CONSIDERATIONS		
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.	
Contaminated Packaging California Hazardous Waste Codes	Do not re-use empty containers.	

14. TRANSPORT INFORMATION		
DOT	Not regulated.	
TDG	Not regulated.	
MEX	Not regulated.	
ICAO	Not regulated.	
IATA	Not regulated.	
IMDG/IMO	Not regulated.	
RID	Not regulated.	
ADR	Not regulated.	
ADN	Not regulated.	

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies.
DSL	Does not Comply.
EINECS/ELINCS	Does not Comply.
ENCS	Does not Comply.
IECSC	Does not Comply.
KECL	Does not Comply.
PICCS	Does not Comply.
AICS	Does not Comply.

U.S. Federal Regulations

SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories		
Acute Health Hazard	Yes	
Chronic Health Hazard	No	
Fire Hazard	No	
Sudden Release of Pressure Hazard	No	
Reactive Hazard	No	

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium dodecylbenzenesulfonate	1000 lb			Х

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Sodium dodecylbenzenesulfonate	1000 lb	

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

International Regulations

Mexico - Grade	Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2B Toxic materials

16. OTHER INFORMATION		
Issuing Date	May 04 2012	
Revision Date		
Revision Date		
Revision Note	No information available.	

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet