

**Safety Data Sheet**  
**W1008A**  
**Coolant Filters / Conditioners**

**SECTION 1 PRODUCT AND COMPANY IDENTIFICATION**

**Product Number:** WIX 24206, 24075, 24112, 24370

**Trade Name and Synonyms:** Wix Coolant Filters / Conditioners

**Chemical Family:** Industrial water treatment

**Product Use:** Vehicle coolant treatment

**Restrictions on use:** Use only as directed

**SDS Date of Preparation:** January 11, 2016

**Manufacturer**

Wix Filtration Products Division, Affinia Group  
PO Box 1967  
Gastonia, NC 28053

**Telephone Numbers**

Product Information: (704) 869-3869  
Emergency Phone: (800) 424-9300 Chemtrec

**SECTION 2. HAZARD(S) IDENTIFICATION**

**Classification:**

This product is a manufactured article (vehicle coolant filter) containing solid pellets. The filter is sealed so no contact with the contents occurs during normal handling or use. Contact with the pellets from a broken filter may cause adverse effects and are classified as follows:

<b>Physical</b>	<b>Health</b>	<b>Environmental</b>
Not Hazardous	Acute Toxicity Category 4 (Oral) Skin Corrosion Category 1B Skin Sensitization Category 1 Eye Damage Category 1 Respiratory Sensitization Category 1	Harmful to the Environment Acute Toxicity Category 2

**Labeling:**



**Danger!**

**Hazard statement(s)**

Harmful if swallowed.  
Causes severe skin burns and eye damage  
May cause an allergic skin reaction.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
Toxic to aquatic life.

**Precautionary statement(s)**

**Prevention**  
Do not breathe dusts or mists.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves, protective clothing, eye protection and face protection.

**Safety Data Sheet**  
**W1008A**  
**Coolant Filters / Conditioners**

**Response**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with soap and water.

Wash contaminated clothing before reuse.

Immediately call a POISON CENTER or doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

Avoid release to the environment.

**Storage and Disposal**

Store locked up.

Dispose of contents and container in accordance with local and national regulations.

<b>SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS</b>
--

Chemical name	CAS No.	Concentration
Tetrapotassium pyrophosphate	7320-34-5	10-30%
Sodium Nitrite	7632-00-0	10-30%
Sodium Nitrate	7631-99-4	10-30%
Sodium Metasilicate	6834-92-0	5-10%
Benzotriazole	95-14-7	5-10%
Maleic Anhydride	108-31-6	<1

**The specific identity and/or exact concentration has been withheld as a trade secret.**

<b>SECTION 4. FIRST-AID MEASURES</b>
--------------------------------------

**Eye:** None expected under normal handling and use. If contact occurs with filter pellets, immediately flush eyes with large quantities of water for at least 20 minutes, holding the eyelids apart. Get immediate medical attention.

**Skin contact:** None expected with normal use. If contact with the filter pellets occurs, remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation develops.

**Inhalation:** None expected with normal use. If dust from tablet is inhaled, remove to fresh air. If irritation develops or if breathing is difficult, get medical attention.

**Ingestion:** None expected with normal use. If filter pellets, or dust is swallowed, do not induce vomiting. If conscious, rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.

**Most important symptoms/effects, acute and delayed:** None expected under normal conditions of use. The following applies to contact with the table if the coolant filter is broken and the tablet is exposed: Eye and skin contact may cause severe irritation or burns. Permanent eye damage may occur. Inhalation of dust may cause mucous membrane and respiratory tract irritation. Swallowing may cause burns to the digestive tract, central nervous system effects, cyanosis, convulsions and collapse.

**Safety Data Sheet**  
**W1008A**  
**Coolant Filters / Conditioners**

**Indication of immediate medical attention and special treatment, if necessary:** Get immediate medical attention for all routes of exposure.

**SECTION 5. FIRE-FIGHTING MEASURES**

**Extinguishing Media:** Use water fog, foam, dry chemical or carbon dioxide to extinguish.

**Specific hazards arising from the chemical:** The tablet is not flammable or combustible. The tablet contains potassium nitrate and sodium nitrite which are oxidizers and can enhance the burning of other materials. Combustion may produce oxides of carbon, nitrogen, phosphorus and sodium.

**Special protective equipment and precautions for fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire exposed containers and structures with water. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment, and emergency procedures:** Use appropriate protective clothing and equipment during clean-up.

**Environmental hazards:** Avoid release into the environment. Report spill as required by local and federal regulations.

**Methods and materials for containment and cleaning up:** If filter is not damaged, pick up and keep for use. If the filter is damaged and the tablet is released, collect in a manner that minimizes the generation of airborne dust. Place collected material into suitable containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

**Precautions for safe handling:** Handle filters in a manner that minimizes the risk of damage and release of contents. In handling damaged filters, avoid generating and breathing dusts. Prevent contact with eyes. Avoid contact with skin and clothing.

**Conditions for safe storage, including any incompatibilities:** Store in a cool, dry, well-ventilated area away from combustible materials, acids and other incompatible materials.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Exposure guidelines:**

Tetrapotassium pyrophosphate	None Established
Sodium Nitrite	None Established
Sodium Nitrate	None Established
Sodium Metasilicate	None Established
Benzotriazole	None Established
Maleic Anhydride	0.25 ppm TWA OSHA PEL 0.0025 ppm TWA ACGIH TLV (inhalable fraction)

**Safety Data Sheet**  
**W1008A**  
**Coolant Filters / Conditioners**

	and vapor)
--	------------

**Appropriate engineering controls:** No special engineering controls are required for handling undamaged filters.

**Personal Protective Equipment**

**Respiratory protection:** None required under normal conditions of use. For operations where exposures are excessive or irritation is experienced, a NIOSH approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow OSHA 1910.134 and good Industrial Hygiene practice.

**Skin protection:** None required under normal conditions of use. Wear rubber or other impervious gloves when handling damaged filters or tablets.

**Eye protection:** None required under normal conditions of use. Safety goggles required for handling damaged filters or tablets.

<b>SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES</b>
--

The following physical characteristics are for the pellets only.

**Appearance (physical state, color, etc.):** White briquette inside a coolant filter

**Odor:** Not available.

<b>Odor threshold:</b> Not available	<b>pH:</b> 10-11 @ 5% dilution
<b>Melting point/freezing point:</b> Not available	<b>Boiling point/Range:</b> Not applicable
<b>Flash point:</b> Not applicable	<b>Evaporation rate:</b> Not applicable
<b>Flammability (solid, gas):</b> Not flammable	
<b>Flammable limits: LEL:</b> Not applicable	<b>UEL:</b> Not applicable
<b>Vapor pressure:</b> Not applicable	<b>Vapor density:</b> Not applicable
<b>Relative density:</b> Not available	<b>Solubility(ies):</b> Completely soluble in water
<b>Partition coefficient: n-ctanol/water:</b> Not applicable	<b>Auto-ignition temperature:</b>
<b>Decomposition temperature:</b> Not available	<b>Viscosity:</b> Not applicable

<b>SECTION 10. STABILITY AND REACTIVITY</b>
---

**Reactivity:** Pellets may ignite in contact with organic materials.

**Chemical stability:** Stable under normal storage and handling conditions.

**Possibility of hazardous reactions:** None expected under normal use conditions.

**Conditions to avoid:** Avoid extreme heat.

**Incompatible materials:** Incompatible with oxidizing materials, reducing agents, organic materials, acids and moisture.

**Hazardous decomposition products:** Thermal decomposition will generate oxides of carbon and nitrogen and metal oxides.

<b>SECTION 11. TOXICOLOGICAL INFORMATION</b>
--

**Potential Health Effects:** Handling undamaged filters will not result in adverse effects. The following information pertains to exposure to the coolant treatment tablets.

**Safety Data Sheet**  
**W1008A**  
**Coolant Filters / Conditioners**

**Eye contact:** May cause severe irritation or burns with redness, tearing and pain. Permanent damage can occur.

**Skin contact:** May cause severe irritation or burns. Sodium nitrite may be harmful if absorbed through the skin.

**Inhalation:** Dust may cause irritation of the mucous membranes and upper respiratory tract. Absorption may cause effects similar to those described under ingestion.

**Ingestion:** Toxic if swallowed. May cause burns to the mouth and throat, dizziness, nausea, vomiting, low blood pressure, cyanosis, rapid heartbeat, convulsions and collapse.

**Chronic effects:** Prolonged or repeated exposure may cause nervous system effects, liver damage, kidney damage and effects on the blood.

**Reproductive Toxicity:** None of the components have been shown to cause reproductive toxicity.

**Carcinogenicity:** None of the components of this product are listed as carcinogens by ACGIH, IARC, NTP or OSHA

**Acute Toxicity Values:**

Acute Toxicity Estimate for the Product: Oral: 374.8 mg/kg, Dermal >2000 mg/kg

Tetrapotassium pyrophosphate: Oral rat LD50 4260 mg/kg, Dermal rat LD50 >5000 mg/kg, Inhalation rat LC50 >1.1 mg/L/4 hr. (maximum attainable concentration)

Sodium Nitrite: Oral rat LD50 85 mg/kg

Sodium Nitrate: Oral rat LD50 3430 mg/kg, Dermal rat LD50 >5000 mg/kg

Sodium Metasilicate: Oral rat LD50 1890 mg/kg, Inhalation rat LC50 >2.06 mg/L/4 hr (no deaths occurred), Dermal rat LD50 >5000 mg/kg.

Benzotriazole: Oral rat LD50 500 mg/kg, Dermal rabbit LD50 >2000 mg/kg

<b>SECTION 12. ECOLOGICAL INFORMATION</b>
---

**Ecotoxicity:**

Tetrapotassium pyrophosphate: 96 hr LC50 *Oncorhynchus mykiss* > 100 mg/L, 8 hr EC50 *daphnia magna* >100 mg/L, 72 hr EC50 *Desmodesmus subspicatus* >100 mg/L

Sodium Nitrite: 96 hr LD50 *Oncorhynchus mykiss* 0.54 mg/L, 48 hr EC50 *daphnia magna* 15.4 mg/L, 72 hr EC50 *Desmodesmus subspicatus* >100 mg/L

Sodium Nitrate: 96 hr LC50 *Lepomis macrochirus* 12,000 mg/kg, 24 hr EC50 *daphnia magna* 8609 mg/kg,

Sodium Metasilicate: 96 hr LC50 *Gambusia affinis* 2350 mg/kg, 48 hr EC50 *daphnia magna* 1700 mg/L, 72 hr EC50 *Desmodesmus subspicatus* 207 mg/L

Benzotriazole: 96 hr LC50 *Danio rerio* 180 mg/L, 48 hr EC50 *Daphnia galeata* 15.8 mg/L, 72 hr EC50

*Selenastrum capricornutum* 75 mg/L

**Persistence and degradability:** Biodegradation is not applicable to inorganic substances.

**Bioaccumulative potential:** No data available.

**Mobility in soil:** No data available.

**Other adverse effects:** This product is expected to be toxic to aquatic life.

<b>SECTION 13. DISPOSAL CONSIDERATIONS</b>
--

Dispose in accordance with all local, state and federal regulations.

<b>SECTION 14. TRANSPORT INFORMATION</b>
--

**Safety Data Sheet**  
**W1008A**  
**Coolant Filters / Conditioners**

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
<b>DOT</b> (containers <500 lbs)		Not Regulated			RQ 500 lbs
<b>DOT</b> (containing >500 lbs)	UN3077	Environmentally Hazardous Substance, solid, n.o.s. (Sodium Nitrite), RQ	9	PGIII	RQ 500 lbs
<b>TDG</b>		Not Regulated			
<b>IMDG</b>		Not Regulated			

**Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):** Not applicable – product is transported only in packaged form.

**Special precautions:** None known

<b>SECTION 15. REGULATORY INFORMATION</b>
---

**Safety, health, and environmental regulations specific for the product in question.**

**CERCLA 103 Reportable Quantity:** The tablets have a reportable quantity of 500 lbs based on percentage of sodium nitrite with an RQ of 100 lbs. Many states have more stringent reporting requirements. Report releases as required by all federal, state and local authorities.

**SARA TITLE III:**

**Hazard Category for Section 311/312:** Acute health

**SARA 313:** This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements:

Sodium nitrite	7632-0-0	10-30%
Sodium Nitrate (nitrate compound)	7631-99-4	10-30%
Maleic Anhydride	108-31-6	<1

**Section 302 Extremely Hazardous Substances (TPQ):** None

**California Proposition 65:** This product contains the following chemical known to the State of California to cause cancer or reproductive toxicity (birth defects).

Ethylene Oxide	75-21-5	Trace	Cancer, male reproductive toxicity, female reproductive toxicity, developmental
1,2 dichloroethane	107-06-2	Trace	Cancer

**EPA Toxic Substances Control Act (TSCA) Status:** All of the components of this product are listed on the TSCA inventory.

**Canadian CEPA Status:** All of the components are listed on the Canadian DSL.

**Safety Data Sheet**  
**W1008A**  
**Coolant Filters / Conditioners**

<b>SECTION 16. OTHER INFORMATION</b>
--------------------------------------

**NFPA Rating:** Health = 3      Flammability = 0      Instability = 0  
**HMIS Rating:** Health = 3      Flammability = 0      Physical Hazard =0

**SDS Revision History:**

**12/21/15:** Section 2 Classification, Labeling Elements, Section 3 Composition, Section 5 Specific hazards arising from the chemical, Section 8 Exposure Limits, Section Physical Characteristics, Section 11 Carcinogenicity, Acute Toxicity Values, Section 12 Ecotoxicity, Section 14 RQ, Section 15 CERCLA, SARA 313, California Proposition 65

**1/15/16:** Section 2 Environmental Classification, Labeling; Section 9 pH; Corrected product name and Chemical Name in Revision History.

**Date of preparation:** January 11, 2016

**Date of last revision:** April 30, 2015

The information is believed to be accurate and represents the best information currently available to us. WE MAKE NO WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION. We assume no liability resulting from its use. Users should conduct their own investigations to determine the suitability of the information for their own particular application and purpose.

**Safety Data Sheet**  
**W1008A**  
**Coolant Filters / Conditioners**

**Revision History**

<b>Product</b>	<b>Type</b>	<b>Chemical Name</b>	
W1008-A	Coolant Filters	Wix Coolant Filters / Conditioners	
<b>Revision</b>	<b>Description</b>	<b>Effective Date</b>	<b>Signed</b>
A	Revised phone number.	2/3/14	Carmen Reich
B	Converted to GHS Format	4/30/15	Angela Rath
C	Section 2 Classification, Labeling Elements, Section 3 Composition, Section 5 Specific hazards arising from the chemical, Section 8 Exposure Limits, Section Physical Characteristics, Section 11 Carcinogenicity, Acute Toxicity Values, Section 12 Ecotoxicity, Section 14 RQ, Section 15 CERCLA, SARA 313, California Proposition 65	12/21/15	Angela Rath
D	Section 2 Environmental Classification, Labeling; Section 9 pH; Correct product name and Chemical Name in Revision History.	1/11/16	Angela Rath