

# **Material Safety Data Sheet**

Section 1. Product and Company Identification			
Product Name	EASY-OFF® FUME FREE MAX™ OVEN CLEANER (AEROSOL)	MSDS#	Not available.
Product Description	Non-corrosive, no caustic fumes.	Validation Da	te 1/4/2006
Manufacturer	Reckitt Benckiser North America, Inc.	Print Date	1/4/2006
	Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, N.J. 07054-0225	In case of Emergency:	Telephone: 800-228-4722
<b>Product Identifier</b>	Not available.	Transportation	Ob a restrict of 000 404 0000
Item Number	363915	Emergencies:	Chemtrec: 1-800-424-9300 (U.S. & Canada)
			Outside the U.S & Canada (North America), call: 703-527-3887
Formula Number	1012-186 (363915) using Conc. 1012-71-2 (381564), Lemon Scent.		
UPC Number	62338-00178 (16 oz. / 453 gm.) Aerosol.		

Section 2. Composition and Information on Ingredients			
Name	CAS#	% by Weight	Exposure Limits : TLV/PEL
1) DIETHYLENE GLYCOL MONOBUTYL ETHER	112-34-5	<10	Not available.
2) MONOETHANOLAMINE	141-43-5	1-5	TWA: 7.5 STEL: 15 (mg/m³) from ACGIH (TLV) TWA: 3 STEL: 6 (ppm) from ACGIH (TLV) TWA: 6 STEL: 15 (mg/m³) from OSHA TWA: 3 (ppm) from OSHA
3) ISOBUTANE	75-28-5	1-5	TWA: 1900 (mg/m³) from ACGIH (TLV) TWA: 800 (ppm) from ACGIH (TLV)

Section 3. Hazards	Identification	
<b>Emergency Overview</b>	CAUTION: CONTENTS UNDER PRESSURE. Causes eye irritation. Contains monoethanolamine. FOUT OF REACH OF CHILDREN.	KEEP

Section 4. First Aid Measures		
Eye Contact	In case of eye contact, immediately rinse eyes with plenty of water, remove any contact lenses and continue to rinse eyes with water for at least 15 minutes. If irritation persists, get medical attention.	
Skin Contact	In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water. If irritation persists, get medical attention.	
Inhalation	Remove person to fresh air.	
Ingestion	Rinse mouth with water. Contact a physician or poison control center if symptoms develop. NEVER give an unconscious person anything to ingest.	

Page	Number:	2
, agc	Hullibel.	_

Section 5. Fire and Explosion Data		
Flammability	See Section 14 for any Shipping Classifications.	
Flash Point	Not applicable. Flame extension less than 18 inches or 45 cm.	
<b>Explosive Limits in Air</b>	Not available.	
<b>Products of Combustion</b>	Not available.	
Fire and Explosion Hazards	CONTENTS UNDER PRESSURE. Do not use or store near hear or open flame. Do not puncture or incinerate. Exposure to temperatures above 120° F (50° C) may cause bursting.	
Fire Fighting Media and Instructions	Not a fire hazard. Select media suitable for surrounding fire. Use water spray to cool fire-exposed containers.	
Special Fire Fighting Instructions	Wear full protective equipment: eye/face (shield), body (full bunker gear), respiratory (SCBA). Provide shielding for venting, rupturing or bursting containers.	

#### Section 6. Accidental Release Measures

Accidental Spill

Small spill: Soak up with liquid absorbent material. Rinse area well to avoid slippery condition.

Large spills from ruptured or leaking containers: Eliminate all sources of ignition and ventilate the area with equipment rated for use in flammable environments. Spill should be diked, contained, collected and stored in metal containers for later disposal according to local, state or federal regulations.

#### Section 7. Handling and Storage

**Handling and Storage** 

CAUTION: Contents under pressure. Causes eye irritation. Contains monoethanolamine. Do not puncture or incinerate container.

Do not expose to heat or store at temperatures above 120 °F (50° C). Avoid freezing. Store in an area inaccessable to children and pets. KEEP OUT OF REACH OF CHILDREN.

### Section 8. Exposure Controls/Personal Protection

<b>Ventilation Requirements</b>	No specific controls are needed. If user operations generate fume, vapor or mist, such as a fire or clean-up operation, use ventilation to keep exposure to airborne contaminants below the exposure limit.	
<b>Eye Protection</b>	None required under normal use conditions. Emergency responders should wear full eye and face protection.	
<b>Skin Protection</b>	None required. Emergency responders should wear impermeable gloves.	
<b>Respiratory Protection</b>	None required under normal use conditions. Emergency responders should wear suitable respiratory protection where long term exposure to large areas of spilled liquid is possible such as a major spill, a fire or a clean-up operation.	
Other Protection	None required. Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.	
Work/Hygienic Practices	Wash thoroughly with soap and water after handling.	

#### Section 9. Physical and Chemical Properties

Description	Liquid. (Light tan to white foam when sprayed.)	Odor	Lemon like.
рН	12.5 [Basic.]	Color	Light tan.
<b>Boiling/Condensation Point</b>	Not applicable.		
Specific Gravity	1.052 @ 25/25°C (conc.)		
Vapor Pressure	Not determined.		
			_

#### Continued on Next Page

EASY-OFF® FUME FREE MAX™ OVEN CLEANER (AEROSOL)		Page Number: 3
Vapor Density	Not determined.	
Viscosity	Not available.	
Solubility	> 95% @ 70 °F	
<b>Physical Chemical Comments</b>	Not available.	

Section 10. Stability and Reactivity Data	
Chemical Stability	The product is stable.
<b>Conditions of Instability</b>	None known.
Incompatibility with Various Substances	Incompatible with acids.
Hazardous Decomposition Products	None known.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information		
Exposure effects		
Eye Contact	Causes eye irritation.	
Skin Contact	Not a primary skin irritant. May be irritating to sensitive skin. Avoid prolonged contact, wear rubber gloves.	
Inhalation	Not toxic by inhalation.	
Ingestion	Not orally toxic.	
Carcinogenicity	Not listed as carcinogenic by OSHA, NTP or IARC.	

# Section 12. Ecological Information Ecotoxicity Not available.


Section 13. Disposal Considerations		
Waste Disposal	Discard individual empty container in trash.	
	Large quantity disposal: Degas cans and discharge liquid contents to sanitary sewer or accumulate intact cans for transport to shredder, approved incinerator, or other facility in accord with local, state and federal regulations.	

DOT Classification	UN 1950, Aerosols, 2.1 - Limited Quantity, Reclassed Consumer Commodity, ORM-D	
Proper Shipping Name	Consumer Commodity	
<b>DOT Identification Number</b>	Not applicable.	
Packing Group	Not applicable.	
Maritime Transportation	Not applicable.	

## Continued on Next Page

	ASY-OFF® FUME FREE MAX™ OVEN LEANER (AEROSOL)	
Hazardous Substances Reportable Quantity	Not applicable.	
Special Provisions for Transport	ORM-D: For US Domestic Shipments Only	
<b>TDG Classification</b>	Consumer Commodity.	
ADR Classification	Not applicable.	
IMDG Classification	UN 1950, Aerosols, class 2 - Limited Quantity.	
IATA Classification	UN 1950, Aerosols, Flammable, Class 2.1 - Limited Quantity or Consumer Commodity, 9 ID8000.	

	SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting:							
Regulations	1) DIETHYLENE GLYCOL MONOBUTYL ETHER		Not available.	7.13	Not avai			
	California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act:  None							
Other Classifications	WHMIS (Canada)	CLASS E: Corrosive liquid.						



#### **Notice to Reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.