PRIMO DAB-O-INK CLARENCE J VENNE INC 215-547-7110

# **Material Safety Data Sheet**

Clarence J. Venne, Inc. 1425 Hanford Street Levittown, PA 19057

Phone#s: Emergency

(215) 547-7110

Section 1

Product Identification

Product name:

Dab-O-Ink SunSational

Alternate Name:

Primo Gold

Carcinogenic:

No (NTP, OSHA, IARC)

Transportation Requirements:

DOT Classification:

Not regulated

DOT Shipping Name:

Dab-O-Ink SunSational

Alternate Names: Date prepared: Primo Gold 6/22/00

Section2

Hazardous Ingredients

Ingredient Listing	CAS No.	Percentage
Water	7732-18-5	84,00
Isopropyi Alcohol	67-363-0	10.00
Colorants	Mixture	5.00
Misc. Ingred. (Each <01.00)	N/A	1.00

#### Section3

#### Physical Data

Boiling Point: Melung Point:	212 F. N/A	Deg. F (Cel.) Deg. F (Cel.)	Spec Grav: 1 (H20=1)	
Vapor Pressure:	N/A		Vapor Density:	N/A
Evaporation Rate:	Like Water		Water Solubility:	N/A
Odor:	Slight Odor		Appearance:	Colored Ink

#### Section 4

### Fire and Explosion Hazard Data

Flash Point:	N/A	Deg. F (Cel)	Flash Pt. Method:	N/A	
Lower Flam Limit	NA	%	Upper Flam. Limit	N/A	%
Exting. Medium	Use water fog, foam or dry chemical extinguishing media.				
Specialized Fire	Firefighters should be equipped with self-contained				
Fighting Proc.	Breathing:	apparatus and himout	gear.		

Unusual Fire & Explosion Hazard

None

Section 5 Reactivity information

Stable: Yes
Incompat (Avoid) No
Has. Decomp. No

Haz. Plym. No Cond. To Avoid None

Section 6 Health Hazard Data

Routes of Entry: Inhalation Skin Ingestion
Unlikely Unlikely Unlikely

Health Hazards: The primary routes of exposure to this material are by way of eye and skin

contact. Contact with eyes may result in irritation. Ingestion my result in useric disturbance. Inhalation of mists may irritate the respiratory tract. Some colors may cause respiratory sensitization in certain individuals, resulting in

asthma type symptoms and difficulty in breathing.

Signs/Symptoms Overexposure to mists may result in irritation of eyes and/or skin; and difficulty

in breathing.

Medical Conditions to

Avoid: None known.

First Aid: Immediately wash eyes with running water for 15 minutes. Wash skin with soap

and water. Remove and launder contaminated clothing before re-use. If breathing difficulty occurs, move to fresh air. In all cases, get medical attention

if symptoms persist.

Section 7 Precautions for Safe Handling and Use

Spill: Spills should be contained, solidified, and placed in suitable containers for

disposal. This material is not known to be regulated under RCRA or CERCLA.

Waste Disposal: Incinerate or bury in a licensed facility. Do not discharge into waterways or

sewer systems without proper authority.

Precautions: None
Other Precautions: None

Section 8 Control Measures

Resp Protect: If vapors or mists are generated, wear a HIOSH/MSHA approved organic

vapor/mist respirator.

Local Exhaust: Use local exhaust to control vapor/mist respirator.

Spec Local Exh: None necessary

Moch Exhaust: None Necessary
Other Mech Exhaust: None Necessary
Protective Gloves: Yes, as necessary to prevent skin contact

Eye Protect: Chemical goggles, face shield for splash hazard protection Protect Clothing: Coveralls, apron boots as necessary to prevent skin contact.

Work Practices: Shower after handling. Clean clothing should be worn daily. Eyewash

fountains and safety showers should be easily accessible. Some colors may

cause respiratory sensitization; avoid all inhalation contact.

## Section 10 Label Statements for Dab-O-Ink Sunsational (Permanent Bingo Markers)

Acute Toxicity:

No acute health hazard warning statements required.

Chronic Toxicity:

No chronic health hazard warning statements required.

Certification Assurance: Seal Statement:

Children's Warning:

Conforms to ASTM D-4236
Approved Product -- Non-Toxic
Not intended for use by children

Confirm all information prior to use.

Abbreviations:

N/A = Not applicable

N/D = Not Determined

N/F = Not Flammable

N/L = Not Listed

C = Ceiling Value

UNKWN = Unknown

R = Respirable Fraction

TLV = ACGIH Threshold Limit Value

PEL = Permissible Exposure Limit

The data shown is taken from sources judged to be reliable. The user should judge both the accuracy and the suitability of this information for any intention or purpose. No other warranty is given.