Other Limits

**ACGIH TLV** 

Recommended % (Optional)

May be used to comply with		Occupational Safety and Health Administration		
OSHA's Hazard Communication Standard,		(Non-Mandatory Form)		
29 CFR 1910.1200. Standard Must Be		Form Approved		
Consulted for Specific Requirements		OMB No. 1218-0072		
IDENTITY (As Used on Label and List)	NOTE: Blank s	spaces are not permitted. If any item is not applicable,		
	or no information is available, the space must be marked to			
Dixon Wedge Pencil Cap Erasers indicate that				
SECTION I				
Manufacturer's Name		Emergency Telephone Number		
Dixon Ticonderoga Company		419-625-9545		
Address( Number, Street, City, State, and ZIP)  195 International Parkway		Telephone Number for Information 800-824-9430		
		Date Prepared		
Heathrow, FL 32746-5036		5/01/02		
		Signature of Preparer (optional)		
		I .		

OSHA PEL

Does not contain any hazardous ingredients

(Specific Chemical Identity; Common Name(s))

**Hazardous Components** 

SECTION II : HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Boiling Point	Specific Gravity (H2O = 1)	Specific Gravity (H2O = 1)			
N/A	0.98				
Vapor Pressure (mm Hg)	Melting Point				
N/A	N/A				
Vapor Density (Air=1)	Evaporation Rate				
N/A	(Butyl Acetate = 1) N/A				
Solubility In Water					
N/A					
Appearance and Odor Solid/assorted colors, practically odorless					
SECTION IV - FIRE AND EXPLOSION HAZA	ARD DATA		and the same		
	ARD DATA  Flammable Limits	LEL	UEL		
SECTION IV - FIRE AND EXPLOSION HAZ/ Flash Point (Method Used) N/A		LEL N/A	UEL N/A		
Flash Point (Method Used) N/A	Flammable Limits	7673	F-500		
Flash Point (Method Used)	Flammable Limits   N/A	7673	F-500		
Flash Point (Method Used) N/A Extinguishing Media Approved CO2, foam, water or dry chemica Special Fire Fighting Procedures	Flammable Limits N/A	7673	F-500		
Flash Point (Method Used) N/A Extinguishing Media Approved CO2, foam, water or dry chemica	Flammable Limits N/A	7673	F-500		
Flash Point (Method Used)  N/A  Extinguishing Media  Approved CO2, foam, water or dry chemica Special Fire Fighting Procedures  Lengthy exposure to open flame will cause Unusual Fire and Explosion Hazards	Flammable Limits N/A  al  thick black smoke.	7673	F-500		
Flash Point (Method Used) N/A Extinguishing Media Approved CO2, foam, water or dry chemica Special Fire Fighting Procedures Lengthy exposure to open flame will cause	Flammable Limits N/A  al  thick black smoke.	N/A	F-500		

SECTION V-REACTIV	IIY DATA						
Stability	Ur	nstable	Conditions To Avoid		4		
		Alasia St. 1985 and the second					
	1 -	able	None				
		Yes					
Incompatibility (Materials N/A							
Hazardous Decomposition							
As with all burning or				nes may be given off			
Hazardous		ay Occur	Conditions To Avoid				
Polymerization	340	mi N O	None				
	VV	III Nat Occur Yes	None				
SECTION VI. HEALTH	***************************************		Skin?	Ingestion?			
Route(s) Of Entry:	inhalation? N/A		N/A	N/A			
Health Hazards (Acute and			N/A	1 4/2 1			
N/A Carcinogenicity:	NTP?	<u>`</u>	IARC Monographs?		OSHA Regulated?		
N/A	N/A		N/A		N/A		
Signs and Symptoms of E							
N/A	alla Aggressadad bu	Evanue					
Medical Conditions General N/A		Exposure					
Emergency and First Aid	Procedures						
N/A							
SECTION VII - PREGA							
Steps to Be Taken in Cas							
Contain and place in approved containers							
Waste Disposal Method			1 6.44				
	er all local, State		regulations				
Precautions to Be Taken in Handling and Storing							
N/A							
Other Precautions N/A							
SECTION VIII. CONT							
Respiratory Protection (s	ired under norma	d uso					
		Local Exhaus		Special			
Ventilation	1	N/A		N/A			
	},	Mechanical (	General)	Other			
		N/A		N/A			
Protective Gloves			Eye Protection				
N/A			N/A	. 1980an da como de la Canada de Can			
Other Protective Clothin	g or Equipment						
N/A		to a comment of	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	the state of the s	Charles of the Charle		
Work/Hygienic Practices							
None requ	ired under norma	al use					
-				104 F00/4F77F	<u></u>		
			* USGPO 1980	6-491-529/45775			